

1998 NURSERY ELIGIBLE PLANT LISTING  
CONTAINER GROWN LANDSCAPE PLANTS  
Spokane Regional Service Office  
(Effective ONLY in the states of Alaska, Idaho, Oregon and Washington)

| SCIENTIFIC NAME             | COMMON NAME              | SK<br><u>2/</u> | HZ<br><u>3/</u> | SUGGESTED STORAGE IN ZONES <u>1/</u> |     |
|-----------------------------|--------------------------|-----------------|-----------------|--------------------------------------|-----|
|                             |                          |                 |                 | 1-6                                  | 7-8 |
| Abelia grandiflora          | Glossy abelia            | W               | 6-8             | M1                                   | M2  |
| Abies balsamea              | Balsam Fir               | W               | 5-8             | R                                    | U   |
| Abies concolor              | White Fir                | W               | 5-8             | R                                    | U   |
| Acanthus mollis             | Bear's Breech            | H               | 7-8             | - -                                  | M1  |
| Acer circinatum             | Vine Maple               | W               | 6-8             | M2                                   | R   |
| Acer griseum                | Paperbark Maple          | W               | 6-8             | M1                                   | M2  |
| Acer palmatum               | Japanese Maple           | W               | 5-8             | M1                                   | M2  |
| Acer platanoides            | Norway Maple             | W               | 5-8             | U                                    | U   |
| Acer rubrum                 | Red Maple                | W               | 5-8             | U                                    | U   |
| Acer saccharinum            | Silver Maple             | W               | 5-8             | U                                    | U   |
| Achillea sp.                | Yarrow                   | H               | 5-8             | M2                                   | R   |
| Aconitum sp.                | Monkshood                | H               | 5-8             | M2                                   | R   |
| Adenophora sp.              | Lady Bells               | H               | 5-8             | M2                                   | R   |
| Aegopodium podagraria       | Bishop's Weed            | H               | 5-8             | M2                                   | R   |
| Ajuga sp.                   | Carpet Bugle             | H               | 5-8             | M2                                   | R   |
| Akebia quinata              | Akebia Vine              | W               | 7-8             | - -                                  | M2  |
| Albizia julibrissin         | Silk Tree                | W               | 7-8             | - -                                  | M2  |
| Alnus glutinosa             | Black Alder              | W               | 5-8             | U                                    | U   |
| Alnus oregona               | Red Alder                | W               | 7-8             | - -                                  | U   |
| Alstroemeria sp.            | Peruvian Lily            | H               | 7-8             | - -                                  | M2  |
| Amelanchier alnifolia       | Serviceberry             | W               | 6-8             | U                                    | U   |
| Amelanchier canadensis      | Shadblow Serviceberry    | W               | 5-8             | U                                    | U   |
| Amelanchier grandiflora     | Apple Serviceberry       | W               | 5-8             | U                                    | U   |
| Amelanchier laevis          | Allegheny Serviceberry   | W               | 5-8             | M2                                   | R   |
| Andromeda polifolia         | Bog Rosemary             | W               | 5-8             | M2                                   | R   |
| Anemone sp.                 | Windflower               | H               | 5-8             | M2                                   | R   |
| Aquilegia sp.               | Columbine                | H               | 5-8             | M2                                   | R   |
| Arabis sp.                  | Rockcress                | H               | 5-8             | M2                                   | R   |
| Araucaria araucana          | Monkey Puzzle Tree       | W               | 7-8             | - -                                  | M2  |
| Arbutus menziesii           | Madrone                  | W               | 7-8             | - -                                  | M2  |
| Arbutus unedo               | Strawberry tree          | W               | 7-8             | - -                                  | M1  |
| Arctostaphylos uva-ursi     | Kinnikinnick             | W               | 5-8             | M1                                   | M2  |
| Armeria sp.                 | Thrift                   | H               | 5-8             | M2                                   | R   |
| Aronia arbutifolia          | Red Chokeberry           | W               | 5-8             | R                                    | R   |
| Aronia melanocarpa          | Black Chokeberry         | W               | 5-8             | R                                    | R   |
| Asters frikartii 'M nch'    | Frikart Aster            | H               | 6-8             | M1                                   | M1  |
| Astilbe sp.                 | False Spirea             | H               | 5-8             | M2                                   | R   |
| Athyrium filix-femina       | Lady Fern                | F               | 7-8             | - -                                  | M   |
| Aubrieta sp.                | Purple Rockcress         | H               | 6-8             | M2                                   | R   |
| Aucuba japonica             | Japanese Laurel          | W               | 7-8             | - -                                  | M1  |
| Berberis thunbergii         | Japanese Barberry        | W               | 5-8             | M1                                   | M2  |
| Betula alba                 | White Birch              | W               | 5-8             | R                                    | R   |
| Betula jacquemontii         |                          | W               | 5-8             | R                                    | R   |
| Betula nigra                | River Birch              | W               | 5-8             | U                                    | U   |
| Betula papyrifera           | Paper Birch              | W               | 5-8             | R                                    | R   |
| Buddleia davidii            | Butterfly Bush           | W               | 5-8             | M1                                   | M2  |
| Buxus microphylla           | Boxwood                  | W               | 6-8             | M1                                   | M2  |
| Buxus sempervirens          | Common Boxwood           | W               | 6-8             | M1                                   | M2  |
| Calamagrostis arundinacea   | Reed Canary Grass        | H               | 6-8             | M2                                   | R   |
| Callicarpa bodinieri        |                          | W               | 5-8             | M2                                   | R   |
| Calluna vulgaris            | Heather                  | W               | 5-8             | M1                                   | M2  |
| Calocedrus decurrens        | California Incense Cedar | W               | 6-8             | R                                    | U   |
| Camelia sasanqua            | Sasanqua Camass          | W               | 7-8             | - -                                  | M1  |
| Campanula sp.               | Bellflower               | H               | 5-8             | M2                                   | R   |
| Caragana arborescens        | Siberian Peashrub        | W               | 5-8             | M2                                   | R   |
| Carex sp.                   | Sedge                    | H               | 5-8             | M2                                   | R   |
| Carpinus betulus            | European Hornbeam        | W               | 5-8             | U                                    | U   |
| Ceanothus gloriosus         | Point Reyes              | W               | 7-8             | - -                                  | M1  |
| Cedrus atlantica            | Atlas Cedar              | W               | 6-8             | R                                    | R   |
| Cedrus deodara              | Deodar Cedar             | W               | 7-8             | - -                                  | R   |
| Celtis occidentalis         | Nettle Tree              | W               | 5-8             | U                                    | U   |
| Cerastium tomentosum        | Snow-in-Summer           | H               | 6-8             | M2                                   | R   |
| Ceratostigma plumbaginoides | Dwarf Plumbago           | H               | 6-8             | M2                                   | R   |
| Cercidiphyllum japonicum    | Katsura Tree             | W               | 5-8             | U                                    | U   |
| Cercis canadensis           | Eastern Redbud           | W               | 5-8             | R                                    | R   |

## 1998 NURSERY ELIGIBLE PLANT LISTING

## CONTAINER GROWN LANDSCAPE PLANTS

## Spokane Regional Service Office

(Effective ONLY in the states of Alaska, Idaho, Oregon and Washington)

| SCIENTIFIC NAME            | COMMON NAME            | SK        | HZ        | SUGGESTED STORAGE IN ZONES <u>1/</u> |     |
|----------------------------|------------------------|-----------|-----------|--------------------------------------|-----|
|                            |                        | <u>2/</u> | <u>3/</u> | 1-6                                  | 7-8 |
| Chaenomeles sp.            | Flowering Quince       | W         | 5-8       | R                                    | R   |
| Chamaecyparis lawsoniana   | Lawson Cypress         | W         | 6-8       | R                                    | R   |
| Chamaecyparis nootkatensis | Nootka Cypress         | W         | 5-8       | R                                    | R   |
| Chamaecyparis obtusa       | Hinoki Cypress         | W         | 5-8       | R                                    | R   |
| Chamaecyparis pisifera     | Sawara Cypress         | W         | 5-8       | R                                    | R   |
| Choisya ternata            | Mexican Orange         | W         | 7-8       | - -                                  | M2  |
| Chrysanthemum sp.          |                        | H         | 7-8       | - -                                  | M2  |
| Clematis sp.               |                        | W         | 7-8       | - -                                  | M1  |
| Clethra alnifolia          | Summersweet Clethra    | W         | 5-8       | M1                                   | M2  |
| Coreopsis sp.              | Tick-Seed              | H         | 5-8       | M2                                   | R   |
| Cornus alternifolia        | Pagoda Dogwood         | W         | 5-8       | U                                    | U   |
| Cornus canadensis          | Bunchberry             | W         | 5-8       | M2                                   | R   |
| Cornus florida             | Eastern Dogwood        | W         | 5-8       | R                                    | R   |
| Cornus kousa               | Kousa                  | W         | 5-8       | R                                    | R   |
| Cornus nuttallii           | Pacific Dogwood        | W         | 7-8       | - -                                  | R   |
| Cornus sericea             | Red Osier Dogwood      | W         | 5-8       | R                                    | R   |
| Cornus stolonifera         | Redtwig Dogwood        | W         | 7-8       | - -                                  | R   |
| Corydalis lutea            | Yellow Bleeding Heart  | H         | 5-8       | M2                                   | R   |
| Corylus avellana           | European Hazelnut      | W         | 5-8       | R                                    | R   |
| Cotinus coggygria          | Smoke Tree             | W         | 5-8       | R                                    | R   |
| Cotoneaster apiculatus     | Cranberry Cotoneaster  | W         | 5-8       | M1                                   | M2  |
| Cotoneaster dammeri        | Bearberry              | W         | 6-8       | M1                                   | M2  |
| Cotoneaster horizontalis   | Rock Cotoneaster       | W         | 6-8       | M1                                   | M2  |
| Cotoneaster lacteus        |                        | W         | 6-8       | M1                                   | M2  |
| Cotoneaster salicifolius   | Willowleaf Cotoneaster | W         | 6-8       | M1                                   | M2  |
| Crataegus phaenopyrum      | Washington Thorn       | W         | 5-8       | R                                    | R   |
| Cryptomeria japonica       | Japanese Cedar         | W         | 6-8       | M2                                   | R   |
| Cupressocyparis leylandii  | Leyland Cypress        | W         | 6-8       | M1                                   | M1  |
| Cyclamen sp.               |                        | H         | 7-8       | - -                                  | M1  |
| Cytisus scoparis           | Scotch Broom           | W         | 6-8       | M2                                   | R   |
| Cytisus x praecox          | Warminster             | W         | 6-8       | M2                                   | R   |
| Daboecia sp.               | Heaths                 | W         | 6-8       | M2                                   | M2  |
| Daphne burkwoodii          |                        | W         | 7-8       | - -                                  | M2  |
| Daphne cneorum             | Garland                | W         | 5-8       | M1                                   | M1  |
| Daphne odora               | Winter Daphne          | W         | 7-8       | - -                                  | M1  |
| Delphinium sp.             | Larkspur               | H         | 6-8       | M2                                   | R   |
| Dianthus sp.               | Pink                   | H         | 6-8       | M2                                   | R   |
| Dicentra sp.               | Bleeding Heart         | H         | 6-8       | M1                                   | M2  |
| Digitalis sp.              | Foxglove               | H         | 6-8       | M2                                   | R   |
| Echinacea purpurea         | Purple Coneflower      | H         | 6-8       | M2                                   | R   |
| Elaeagnus angustifolia     | Russian Olive          | W         | 5-8       | M2                                   | R   |
| Enkianthus campanulatus    |                        | W         | 5-8       | R                                    | R   |
| Epimedium sp.              |                        | H         | 6-8       | M2                                   | R   |
| Eremurus stenophyllus      | Foxtail Lily           | H         | 6-8       | M2                                   | R   |
| Erica sp.                  | Heather                | W         | 6-8       | M1                                   | M2  |
| Escalloina sp.             |                        | W         | 7-8       | - -                                  | M1  |
| Eucalyptus sp.             |                        | W         | 7-8       | - -                                  | M1  |
| Euonymus alata             | Winged Euonymus        | W         | 5-8       | R                                    | R   |
| Euonymus fortunei          |                        | W         | 5-8       | M1                                   | M2  |
| Euonymus japonica          | Spindle Tree           | W         | 7-8       | - -                                  | M2  |
| Fagus sylvatica            | European Beech         | W         | 5-8       | R                                    | R   |
| Festuca ovina              | Sheep Fescue           | H         | 6-8       | M2                                   | R   |
| Forsythia x intermedia     | Forsythia              | W         | 5-8       | R                                    | R   |
| Fothergilla sp.            |                        | W         | 5-8       | R                                    | R   |
| Fragaria chiloensis        | Wild Strawberry        | H         | 6-8       | M2                                   | R   |
| Fraxinus americana         | White Ash              | W         | 5-8       | U                                    | U   |
| Fraxinus latifolia         | Oregon Ash             | W         | 7-8       | U                                    | U   |
| Fraxinus oxycarpa          |                        | W         | 6-8       | U                                    | U   |
| Fraxinus pennsylvanica     | Green Ash              | W         | 5-8       | U                                    | U   |
| Fuchsia magellanica        | Hardy Fuchsia          | W         | 7-8       | - -                                  | M2  |
| Galium odoratum            | Sweet Woodruff         | H         | 6-8       | M2                                   | R   |
| Gaultheria procumbens      | Winter Green           | W         | 5-8       | M2                                   | M2  |
| Gaultheria shallon         | Salal                  | W         | 6-8       | M2                                   | M2  |
| Gaura lindheimeri          | White Gaura            | H         | 6-8       | M2                                   | R   |
| Genista sp.                |                        | W         | 6-8       | M2                                   | M2  |
| Gentiana sp.               |                        | H         | 6-8       | M2                                   | R   |
| Geranium sp.               |                        | H         | 6-8       | M1                                   | M1  |
| Ginkgo biloba              | Maidenhair             | W         | 5-8       | R                                    | R   |

## 1998 NURSERY ELIGIBLE PLANT LISTING

## CONTAINER GROWN LANDSCAPE PLANTS

## Spokane Regional Service Office

(Effective ONLY in the states of Alaska, Idaho, Oregon and Washington)

| SCIENTIFIC NAME              | COMMON NAME               | SK        | HZ        | SUGGESTED STORAGE IN ZONES <u>1/</u> |     |
|------------------------------|---------------------------|-----------|-----------|--------------------------------------|-----|
|                              |                           | <u>2/</u> | <u>3/</u> | 1-6                                  | 7-8 |
| Gleditsia triacanthos        | Honey Locust              | W         | 5-8       | U                                    | U   |
| Gymnocladus dioica           | Kentucky Coffee Tree      | W         | 5-8       | U                                    | U   |
| Halesia carolina             | Silver Bell               | W         | 5-8       | U                                    | U   |
| Hamamelis mollis             | Chinese Witch Hazel       | W         | 5-8       | R                                    | R   |
| Hamamelis virginiana         | Common Witch Hazel        | W         | 5-8       | R                                    | R   |
| Hamamelis x intermedia       |                           | W         | 5-8       | R                                    | R   |
| Hebe sp.                     |                           | W         | 7-8       | - -                                  | M1  |
| Hedera canariensis           | Alverian Ivy              | W         | 7-8       | - -                                  | M1  |
| Hedera helix                 | English Ivy               | W         | 7-8       | - -                                  | M1  |
| Helleborus sp.               | Hellebore                 | H         | 6-8       | M2                                   | R   |
| Hemerocallis sp.             | Daylily                   | H         | 6-8       | M2                                   | R   |
| Heuchera sp.                 | Coral Bells               | H         | 6-8       | M1                                   | M2  |
| Hibiscus syriacus            | Rose-of-Sharon            | W         | 5-8       | M2                                   | R2  |
| Hosta sp.                    |                           | H         | 5-8       | M2                                   | M2  |
| Houttuynia cordata           | Chameleon                 | H         | 5-8       | M1                                   | M1  |
| Hydrangea anomala petiolaris | Climbing Hydrangea        | W         | 6-8       | M1                                   | M2  |
| Hydrangea macrophylla        | Big Leaf Hydrangea        | W         | 6-8       | M1                                   | M1  |
| Hydrangea paniculata         |                           | W         | 6-8       | M2                                   | M2  |
| Hydrangea quercifolia        | Oakleaf                   | W         | 5-8       | M1                                   | M2  |
| Hypericum sp.                | St Johns Wort             | W         | 5-8       | R                                    | R   |
| Iberis gibraltarica          | Gibraltar Candytuft       | H         | 5-8       | M2                                   | R   |
| Iberis sempervirens          | Candytuft                 | H         | 5-8       | M2                                   | R   |
| Ilex aquifolium              | English Holly             | W         | 6-8       | M1                                   | M2  |
| Ilex cornuta                 | Chinese Holly             | W         | 6-8       | M1                                   | M2  |
| Ilex crenata                 | Japanese Holly            | W         | 6-8       | M1                                   | M2  |
| Ilex verticillata            | Winterberry               | W         | 5-8       | R                                    | R   |
| Ilex x meserveae             |                           | W         | 5-8       | M1                                   | M2  |
| Iris ensata                  | Japanese Iris             | H         | 5-8       | M2                                   | R   |
| Iris japonica                | Orchid Iris               | H         | 5-8       | M2                                   | R   |
| Iris pseudacorus             | Yellow Flag Iris          | H         | 5-8       | M2                                   | R   |
| Iris pumila                  |                           | H         | 5-8       | M2                                   | R   |
| Iris sibirica                | Siberian Iris             | H         | 5-8       | M2                                   | R   |
| Juglans nigra                | Black Walnut              | W         | 5-8       | U                                    | U   |
| Juncus sp.                   | Rush                      | H         | 5-8       | M2                                   | R   |
| Juniperus chinensis          | Chinese Juniper           | W         | 5-8       | M2                                   | R   |
| Juniperus communis           | Common Juniper            | W         | 5-8       | R                                    | R   |
| Juniperus conferta           | Shore Juniper             | W         | 5-8       | R                                    | R   |
| Juniperus excelsa            | Greek Juniper             | W         | 5-8       | R                                    | R   |
| Juniperus horizontalis       | Creeping Juniper          | W         | 5-8       | R                                    | R   |
| Juniperus procumbens nana    | Dwarf Jap. Garden Juniper | W         | 5-8       | M2                                   | M2  |
| Juniperus sabina             | Savin                     | W         | 5-8       | U                                    | U   |
| Juniperus scopulorum         | Rocky Mtn Juniper         | W         | 5-8       | U                                    | U   |
| Juniperus squamata           | Single Seed Juniper       | W         | 5-8       | M2                                   | R   |
| Juniperus virginiana         | Eastern Red Cedar         | W         | 5-8       | U                                    | U   |
| Kalmia latifolia             | Mountain Laurel           | W         | 5-8       | R                                    | R   |
| Kerria japonica              | Japanese Kerria           | W         | 5-8       | R                                    | R   |
| Kniphofia uvaria             | Red-Hot-Poker             | H         | 5-8       | M2                                   | R   |
| Koeleria sp.                 | June Grass                | H         | 5-8       | M2                                   | R   |
| Koelreuteria paniculata      | Goldenrain Tree           | W         | 5-8       | R                                    | R   |
| Laburnum sp.                 | Goldenchain Tree          | W         | 5-8       | R                                    | R   |
| Lagerstroemia indica         | Crape Myrtle              | W         | 7-8       | - -                                  | M2  |
| Lamium sp.                   | Spotted Dead Nettle       | H         | 5-8       | M2                                   | R   |
| Larix sp.                    | Larch                     | W         | 5-8       | U                                    | U   |
| Laurentia fluvialis          | Blue Star Carpet          | H         | 5-8       | M2                                   | R   |
| Lavandula sp.                | Lavender                  | H         | 5-8       | M2                                   | R   |
| Leucothoe axillaris          | Fetterbush                | W         | 5-8       | R                                    | R   |
| Lewisia sp.                  |                           | H         | 5-8       | M2                                   | R   |
| Liatris spicata              | Gayfeather                | H         | 5-8       | M2                                   | R   |
| Ligularia sp.                |                           | H         | 5-8       | M2                                   | R   |
| Ligustrum japonicum          | Waxleaf Privet            | W         | 7-8       | - -                                  | M1  |
| Ligustrum vulgare            | Common Privet             | W         | 5-8       | R                                    | R   |
| Lilium columbianum           | Tiger Lily                | H         | 5-8       | M2                                   | R   |
| Linnaea borealis             | Twin Flower               | H         | 5-8       | M2                                   | R   |
| Linum sp.                    | Flax                      | H         | 5-8       | M2                                   | R   |
| Liquidambar styraciflua      | American Sweetgum         | W         | 5-8       | R                                    | R   |
| Liriodendron tulipifera      | Tulip Tree                | W         | 5-8       | R                                    | R   |
| Liriope sp.                  | Liriope                   | H         | 5-8       | M2                                   | R   |
| Lithodora diffusa            |                           | H         | 5-8       | M2                                   | R   |
| Lobelia cardinalis           | Cardinal Flower           | H         | 5-8       | M2                                   | R   |
| Lonicera heckrottii          | Gold Flame Honeysuckle    | W         | 5-8       | M1                                   | M2  |
| Lonicera involucrata         | Twinberry                 | W         | 5-8       | M1                                   | M2  |

## 1998 NURSERY ELIGIBLE PLANT LISTING

## CONTAINER GROWN LANDSCAPE PLANTS

## Spokane Regional Service Office

(Effective ONLY in the states of Alaska, Idaho, Oregon and Washington)

| SCIENTIFIC NAME                    | COMMON NAME           | SK        | HZ        | SUGGESTED STORAGE IN ZONES <u>1/</u> |     |
|------------------------------------|-----------------------|-----------|-----------|--------------------------------------|-----|
|                                    |                       | <u>2/</u> | <u>3/</u> | 1-6                                  | 7-8 |
| Lonicera japonica                  | Japanese Honeysuckle  | W         | 5-8       | M1                                   | M2  |
| Lonicera pileata                   | Privet Honeysuckle    | W         | 5-8       | M1                                   | M2  |
| Lonicera tatarica                  | Tatarian Honeysuckle  | W         | 5-8       | M1                                   | M2  |
| Lonicera x xylosteoides            |                       | W         | 5-8       | M1                                   | M2  |
| Lupinus sp.                        |                       | H         | 5-8       | M2                                   | R   |
| Luzula nivea                       | Snowy Woodrush        | H         | 5-8       | M2                                   | R   |
| Lysimachia nummularia              | Creeping Jenny        | H         | 5-8       | M2                                   | R   |
| Macleaya cordata                   | Plume Poppy           | H         | 5-8       | M2                                   | R   |
| Magnolia denudata                  | Yulan Magnolia        | W         | 5-8       | M1                                   | M2  |
| Magnolia grandiflora               | Southern Magnolia     | W         | 7-8       | - -                                  | M1  |
| Magnolia kobus                     |                       | W         | 5-8       | M2                                   | M2  |
| Magnolia liliiflora                |                       | W         | 5-8       | M2                                   | M2  |
| Magnolia loebneri                  |                       | W         | 5-8       | M2                                   | M2  |
| Magnolia sieboldii                 | Oyama Magnolia        | W         | 5-8       | M2                                   | M2  |
| Magnolia soulangiana               | Saucer Magnolia       | W         | 5-8       | M2                                   | M2  |
| Magnolia stellata                  | Star Magnolia         | W         | 5-8       | M1                                   | M2  |
| Magnolia virginiana                |                       | W         | 5-8       | M1                                   | M2  |
| Mahonia aquifolium                 | Oregon Grape          | W         | 5-8       | M1                                   | M2  |
| Mahonia pinnata                    |                       | W         | 5-8       | M1                                   | M2  |
| Mahonia repens                     |                       | W         | 5-8       | M1                                   | M2  |
| Malus sp.                          | Crabapple             | W         | 5-8       | M2                                   | R   |
| Mazus reptans                      |                       | H         | 5-8       | M2                                   | R   |
| Mentha requienii                   | Corsican Mint         | H         | 5-8       | M2                                   | R   |
| Metasequoia glyptostroboides       | Dawn Redwood          | W         | 5-8       | U                                    | U   |
| Microbiota decussata               |                       | W         | 5-8       | R                                    | R   |
| Monarda didyma                     | Bee Balm              | H         | 5-8       | M2                                   | R   |
| Morus alba                         | White Mulberry        | W         | 5-8       | U                                    | U   |
| Myrica californica                 | Pacific Wax Myrtle    | W         | 5-8       | M2                                   | R   |
| Myrica pennsylvanica               | Bayberry              | W         | 5-8       | M2                                   | R   |
| Nandinia domestica                 | Heavenly Bamboo       | W         | 6-8       | M1                                   | M2  |
| Nepeta mussinii                    | Catmint               | H         | 5-8       | M2                                   | R   |
| Nyssa sylvatica                    | Sour Gum              | W         | 5-8       | R                                    | U   |
| Orchidacea genus and species       |                       | F         | 5-8       | M                                    | M   |
| Osmanthus delavayi                 |                       | W         | 7-8       | - -                                  | M1  |
| Osmanthus heterophyllus            | Holly Olive           | W         | 7-8       | - -                                  | M1  |
| Osmarea burkwoodii                 |                       | W         | 7-8       | - -                                  | M1  |
| Ostrya virginiana                  | American Hop Hornbeam | W         | 5-8       | U                                    | U   |
| Oxalis oregana                     | Oregon Wood Sorrell   | H         | 5-8       | M2                                   | R   |
| Oxydendrum arboreum                | Sourwood              | W         | 5-8       | U                                    | U   |
| Pachysandra terminalis             | Japanese Pachysandra  | H         | 5-8       | M2                                   | M2  |
| Paeonia sp.                        | Peony                 | H         | 5-8       | M1                                   | M2  |
| Panicum virgatum                   | Switch Grass          | H         | 5-8       | M2                                   | R   |
| Papaver orientale                  | Oriental Poppy        | H         | 5-8       | M2                                   | R   |
| Parrotia persica                   | Persian Parrotia      | W         | 5-8       | R                                    | U   |
| Parthenocissus tricuspidata        | Boston Ivy            | W         | 5-8       | M2                                   | R   |
| Paulownia tomentosa                | Empress Tree          | W         | 7-8       | - -                                  | R   |
| Paxistima canbyi                   | Dwarf Mountain Lover  | W         | 5-8       | M1                                   | M2  |
| Paxistima mysinites                | Oregon Boxwood        | W         | 5-8       | M1                                   | M2  |
| Pelargonium peltatum               | Ivy Geranium          | H         | 5-8       | M1                                   | M2  |
| Pennisetum sp.                     | Fountain Grass        | H         | 5-8       | M2                                   | R   |
| Penstemon sp.                      | Beards Tongue         | H         | 5-8       | M2                                   | R   |
| Perovskia atriplicifolia           | Russian Sage          | H         | 5-8       | M2                                   | R   |
| Phalaris arundinacea picta         | Reed Canary Grass     | H         | 5-8       | U                                    | U   |
| Phellodendron amurense             | Cork Tree             | W         | 5-8       | U                                    | U   |
| Philadelphus sp.                   | Mock Orange           | W         | 5-8       | M2                                   | R   |
| Phlox sp.                          | Perennial Phlox       | H         | 5-8       | M2                                   | R   |
| Phormium tenax                     | New Zealand Flax      | H         | 7-8       | - -                                  | M2  |
| Photinia x fraseri                 |                       | W         | 7-8       | - -                                  | R   |
| Photinia glabra                    | Japanese Photinia     | W         | 7-8       | - -                                  | R   |
| Phyllostachys sp.                  | Bamboo                | F         | 7-8       | - -                                  | M   |
| Physocarpus capitatus              | Pacific Ninebark      | W         | 5-8       | M2                                   | R   |
| Physocarpus opulifoliusintermedius | Dwarf Ninebark        | W         | 5-8       | M2                                   | R   |
| Physostegia sp.                    | Obedience Plant       | H         | 5-8       | M2                                   | R   |
| Picea abies                        | Norway Spruce         | W         | 5-8       | R                                    | U   |
| Picea engelmannii                  | Engelman Spruce       | W         | 5-8       | R                                    | U   |
| Picea glauca                       | White Spruce          | W         | 5-8       | R                                    | U   |
| Picea mariana                      | Black Spruce          | W         | 5-8       | R                                    | U   |
| Picea omorika                      | Serbian Spruce        | W         | 5-8       | R                                    | U   |

## 1998 NURSERY ELIGIBLE PLANT LISTING

## CONTAINER GROWN LANDSCAPE PLANTS

## Spokane Regional Service Office

(Effective ONLY in the states of Alaska, Idaho, Oregon and Washington)

| SCIENTIFIC NAME                  | COMMON NAME              | SK        | HZ        | SUGGESTED STORAGE IN ZONES <u>1/</u> |     |
|----------------------------------|--------------------------|-----------|-----------|--------------------------------------|-----|
|                                  |                          | <u>2/</u> | <u>3/</u> | 1-6                                  | 7-8 |
| <i>Picea orientalis</i>          |                          | W         | 5-8       | M2                                   | R   |
| <i>Picea pungens</i>             | Colorado Spruce          | W         | 5-8       | R                                    | U   |
| <i>Picea sitchensis</i>          | Sitka Spruce             | W         | 6-8       | M2                                   | R   |
| <i>Pieris japonica</i>           | Andromeda                | W         | 6-8       | M1                                   | M2  |
| <i>Pieris taiwanensis</i>        |                          | W         | 7-8       | - -                                  | M2  |
| <i>Pinus aristata</i>            | Bristlecone Pine         | W         | 6-8       | M2                                   | R   |
| <i>Pinus banksiana</i>           | Jack Pine                | W         | 6-8       | M2                                   | R   |
| <i>Pinus bungeana</i>            | Lacebark Pine            | W         | 5-8       | M2                                   | R   |
| <i>Pinus contorta</i>            | Shore Pine               | W         | 7-8       | - -                                  | R   |
| <i>Pinus contorta latifolia</i>  | Lodgepole Pine           | W         | 5-8       | M2                                   | R   |
| <i>Pinus densiflora</i>          | Japanese Red Pine        | W         | 5-8       | M2                                   | R   |
| <i>Pinus flexilis</i>            | Limber Pine              | W         | 5-8       | M2                                   | R   |
| <i>Pinus heldreichii</i>         | Bosnian Pine             | W         | 6-8       | M2                                   | M2  |
| <i>Pinus jeffreyi</i>            | Jeffrey Pine             | W         | 6-8       | M2                                   | R   |
| <i>Pinus monticola</i>           | Western White Pine       | W         | 6-8       | M2                                   | R   |
| <i>Pinus mugo</i>                | Mugho Pine               | W         | 5-8       | R                                    | U   |
| <i>Pinus nigra</i>               | Austrian Pine            | W         | 5-8       | M2                                   | R   |
| <i>Pinus parviflora</i>          | Japanese White Pine      | W         | 5-8       | M2                                   | R   |
| <i>Pinus ponderosa</i>           | Ponderosa Pine           | W         | 6-8       | M2                                   | R   |
| <i>Pinus pumila</i>              | Dwarf Stone Pine         | W         | 5-8       | M2                                   | R   |
| <i>Pinus resinosa</i>            | Norway Pine              | W         | 5-8       | M2                                   | R   |
| <i>Pinus strobus</i>             | Eastern White Pine       | W         | 5-8       | R                                    | U   |
| <i>Pinus sylvestris</i>          | Scotch Pine              | W         | 5-8       | M2                                   | R   |
| <i>Pinus thunbergii</i>          | Japanese Black Pine      | W         | 5-8       | M2                                   | M2  |
| <i>Pinus wallichiana</i>         | Himalayan White Pine     | W         | 6-8       | M2                                   | R   |
| <i>Plantanus acerifolia</i>      | London Plane Tree        | W         | 5-8       | U                                    | U   |
| <i>Polemonium sp.</i>            |                          | H         | 5-8       | M2                                   | R   |
| <i>Polygonum aubertii</i>        | Silver Lace Vine         | H         | 5-8       | M2                                   | R   |
| <i>Polystichum munitum</i>       | Sword Fern               | H         | 7-8       | - -                                  | M2  |
| <i>Polystichum setiferum</i>     | Alaska Fern              | H         | 7-8       | - -                                  | M2  |
| <i>Populus alba</i>              | Bolleana Poplar          | W         | 5-8       | U                                    | U   |
| <i>Populus nigra</i>             | Lombardy Poplar          | W         | 5-8       | U                                    | U   |
| <i>Populus theves</i>            |                          | W         | 5-8       | U                                    | U   |
| <i>Populus tremuloides</i>       | Quaking Aspen            | W         | 5-8       | U                                    | U   |
| <i>Populus trichocarpa</i>       | Black Cottonwood         | W         | 5-8       | U                                    | U   |
| <i>Potentilla sp.</i>            |                          | W         | 5-8       | M2                                   | R   |
| <i>Primula sp.</i>               | Miniature Primrose       | H         | 5-8       | M2                                   | M2  |
| <i>Prunus avium</i>              | Mazzard Cherry           | W         | 5-8       | M2                                   | R   |
| <i>Prunus cerasifera</i>         | Cherry Plum              | W         | 5-8       | M2                                   | R   |
| <i>Prunus cistena</i>            | Purple Leaf Sand Cherry  | W         | 5-8       | M2                                   | R   |
| <i>Prunus laurocerasus</i>       | English Laurel           | W         | 6-8       | M1                                   | M2  |
| <i>Prunus lusitanica</i>         | Portugese Laurel         | W         | 6-8       | M1                                   | M2  |
| <i>Prunus maackii</i>            | Amur Chokecherry         | W         | 5-8       | M2                                   | R   |
| <i>Prunus sargentii</i>          | Sargent Cherry           | W         | 5-8       | M2                                   | R   |
| <i>Prunus serrula</i>            | Birch Bark Cherry        | W         | 5-8       | M2                                   | R   |
| <i>Prunus serrulata</i>          | Japanese Cherry          | W         | 6-8       | M2                                   | R   |
| <i>Prunus yedoensis</i>          | Yoshino Flowering Cherry | W         | 6-8       | M2                                   | R   |
| <i>Pseudotsuga menziesii</i>     | Douglas Fir              | W         | 5-8       | R                                    | U   |
| <i>Pulmonaria sp.</i>            |                          | H         | 5-8       | M2                                   | R   |
| <i>Pyracantha coccinea</i>       | Scarlet Firethorn        | W         | 7-8       | - -                                  | M1  |
| <i>Pyrus calleryana</i>          |                          | W         | 6-8       | M2                                   | R   |
| <i>Quercus acutissima</i>        | Sawtooth Oak             | W         | 5-8       | U                                    | U   |
| <i>Quercus alba</i>              | White Oak                | W         | 5-8       | U                                    | U   |
| <i>Quercus bicolor</i>           | Swamp White Oak          | W         | 5-8       | U                                    | U   |
| <i>Quercus coccolinea</i>        | Scarlet Oak              | W         | 5-8       | U                                    | U   |
| <i>Quercus garryana</i>          | Oregon White Oak         | W         | 5-8       | U                                    | U   |
| <i>Quercus imbricaria</i>        | Single Oak               | W         | 5-8       | U                                    | U   |
| <i>Quercus macrocarpa</i>        | Bur Oak                  | W         | 5-8       | U                                    | U   |
| <i>Quercus palustris</i>         | Pin Oak                  | W         | 5-8       | U                                    | U   |
| <i>Quercus phellos</i>           | Willow Oak               | W         | 6-8       | U                                    | U   |
| <i>Quercus robur</i>             | English Oak              | W         | 5-8       | U                                    | U   |
| <i>Quercus rubra</i>             | Northern Red Oak         | W         | 5-8       | U                                    | U   |
| <i>Quercus shumardi</i>          | Shumards Red Oak         | W         | 5-8       | U                                    | U   |
| <i>Ranunculus occidentalis</i>   | Western Buttercup        | H         | 5-8       | M2                                   | R   |
| <i>Raphiolepis sp.</i>           | Hawthorne                | W         | 7-8       | - -                                  | M1  |
| <i>Rhamnus frangula</i>          |                          | W         | 5-8       | M2                                   | R   |
| <i>Rhamnus purshiana</i>         | Cascara Sagrada          | W         | 5-8       | M2                                   | R   |
| <i>Rhododendron carolinianum</i> | Carolina Rhododendron    | W         | 5-8       | M2                                   | R   |

## 1998 NURSERY ELIGIBLE PLANT LISTING

## CONTAINER GROWN LANDSCAPE PLANTS

## Spokane Regional Service Office

(Effective ONLY in the states of Alaska, Idaho, Oregon and Washington)

| SCIENTIFIC NAME               | COMMON NAME             | SK        | HZ        | SUGGESTED STORAGE IN ZONES <u>1/</u> |     |
|-------------------------------|-------------------------|-----------|-----------|--------------------------------------|-----|
|                               |                         | <u>2/</u> | <u>3/</u> | 1-6                                  | 7-8 |
| Rhododendron catawbiense      | Catawba Rhododendron    | W         | 5-8       | M2                                   | R   |
| Rhododendron hybrids          | Rhododendron            | W         | 5-8       | M1                                   | M2  |
| Rhododendron x kosteranum     | Mollis Hybrid Azalea    | W         | 5-8       | M2                                   | R   |
| Rhododendron obtusum          | Hiryu Azalea            | W         | 6-8       | M1                                   | M2  |
| Rhododendron 'P.J.M' types    | P.J.M. Hybrids          | W         | 5-8       | M2                                   | R   |
| Rhododendron sp.              | Exbury Hybrid Azaleas   | W         | 5-8       | M1                                   | M2  |
| Rhododendron sp.              | Gabel Hybrid Azaleas    | W         | 5-8       | M1                                   | M2  |
| Rhododendron sp.              | So.Indica Hyb. Azaleas  | W         | 7-8       | - -                                  | M1  |
| Rhus aromatica                | Fragrant Sumac          | W         | 5-8       | M2                                   | R   |
| Rhus typhina                  | Staghorn Sumac          | W         | 5-8       | U                                    | U   |
| Ribes alpinum                 | Alpine Currant          | W         | 5-8       | M2                                   | R   |
| Ribes aureum                  | Golden Currant          | W         | 5-8       | M2                                   | R   |
| Ribes sanguineum              | Red Flowering Currant   | W         | 6-8       | M2                                   | R   |
| Rodgersia sp.                 |                         | H         | 5-8       | M2                                   | R   |
| Rosa sp.                      |                         | W         | 5-8       | M1                                   | M2  |
| Rosmarinus officinalis        | Rosemary                | W         | 6-8       | M1                                   | M2  |
| Rudbeckia sp.                 |                         | H         | 5-8       | M2                                   | R   |
| Sagina subulata               | Irish & Scotch Moss     | H         | 5-8       | M2                                   | R   |
| Salix alba                    | White Willow            | W         | 5-8       | U                                    | U   |
| Salix babylonica              | Weeping Willow          | W         | 5-8       | U                                    | U   |
| Salix matsudana               | Peking Willow           | W         | 5-8       | M2                                   | R   |
| Salix purpurea nana           | Dwarf Purple Willow     | W         | 5-8       | M2                                   | R   |
| Salix scouleriana             | Scouler Willow          | W         | 6-8       | M2                                   | R   |
| Salvia superba                | Sage                    | H         | 7-8       | - -                                  | M1  |
| Sambucus caerulea             | Blue Elderberry         | W         | 5-8       | R                                    | R   |
| Sambucus callicarpa           | Coast Red Elderberry    | W         | 7-8       | - -                                  | M2  |
| Sambucus racemosa             | European Red Elderberry | W         | 5-8       | R                                    | R   |
| Sarcococca sp.                | Sarcococca              | W         | 6-8       | M1                                   | M2  |
| Saxifraga sp.                 |                         | H         | 5-8       | M2                                   | R   |
| Scabiosa columbaria           | Pincushion Flower       | H         | 6-8       | M1                                   | M2  |
| Schizostylis coccinea         | Kaffer Lily             | H         | 7-8       | - -                                  | M1  |
| Sciadopitys verticillata      | Umbrella Pine           | W         | 6-8       | M2                                   | R   |
| Sedum sp.                     |                         | H         | 5-8       | M2                                   | R   |
| Sempervivum tectorum          | Hens & Chickens         | H         | 5-8       | M2                                   | R   |
| Senecio cineraria             | Dusty Miller            | H         | 5-8       | M2                                   | R   |
| Sequoia sempervirens          | Redwood                 | W         | 7-8       | - -                                  | R   |
| Sequoiadendron giganteum      | Giant Sequoia           | W         | 7-8       | - -                                  | R   |
| Sidalcea sp.                  |                         | H         | 5-8       | M2                                   | R   |
| Skimmia japonica              |                         | W         | 7-8       | - -                                  | M2  |
| Smilacina racemosa            | False Solomon's Seal    | H         | 5-8       | M2                                   | R   |
| Sophora japonica              | Pagoda Tree             | W         | 5-8       | M2                                   | R   |
| Sorbus alnifolia              | Korean Mountain Ash     | W         | 6-8       | U                                    | U   |
| Sorbus aucuparia              | European Mountain Ash   | W         | 5-8       | U                                    | U   |
| Spiraea dolchica              |                         | W         | 5-8       | M2                                   | R   |
| Spiraea douglasii             | Douglas Spiraea         | W         | 5-8       | M2                                   | R   |
| Spiraea japonica              | Japanese Spiraea        | W         | 5-8       | M2                                   | R   |
| Spiraea nipponica tosaensis   | Tosa Spiraea            | W         | 5-8       | M2                                   | R   |
| Spiraea thunbergii            |                         | W         | 5-8       | M2                                   | R   |
| Spiraea vanhouttei            | Bird-al-Wreath          | W         | 5-8       | M2                                   | R   |
| Spiraea x bumalda             |                         | W         | 5-8       | M2                                   | R   |
| Stachys sp.                   | Lamb's Ears             | H         | 5-8       | M2                                   | R   |
| Stewartia koreana             | Korean Stewartia        | W         | 5-8       | M2                                   | R   |
| Stewartia monadelphica        |                         | W         | 5-8       | M2                                   | R   |
| Stewartia pseudocamellia      | Japanese Stewartia      | W         | 5-8       | M2                                   | R   |
| Stipa gigantea                | Giant Feather Grass     | H         | 5-8       | M2                                   | R   |
| Stranvesia davidiana undulata |                         | W         | 7-8       | - -                                  | M2  |
| Styrax japonicus              | Japanese Snowbell       | W         | 5-8       | R                                    | U   |
| Styrax obassia                | Fragrant Snowbell       | W         | 5-8       | R                                    | U   |
| Symphoricarpos albus          | Common Snowberry        | W         | 5-8       | M2                                   | R   |
| Syringa meyeri                | Dwarf Korean Lilac      | W         | 5-8       | M2                                   | R   |
| Syringa patula                |                         | W         | 5-8       | M2                                   | R   |
| Syringa reticulata            | Japanese Lilac          | W         | 5-8       | U                                    | U   |
| Syringa villosa               | Late Lilac              | W         | 5-8       | M2                                   | R   |
| Syringa vulgaris              | Common Lilac            | W         | 5-8       | M2                                   | R   |
| Taxodium distichum            | Bald Cypress            | W         | 5-8       | U                                    | U   |
| Taxus baccata                 | English Yew             | W         | 5-8       | M2                                   | R   |
| Taxus brevifolia              | Western Yew             | W         | 7-8       | - -                                  | R   |
| Taxus cuspidata               | Japanese Yew            | W         | 5-8       | M2                                   | R   |

## 1998 NURSERY ELIGIBLE PLANT LISTING

## CONTAINER GROWN LANDSCAPE PLANTS

## Spokane Regional Service Office

(Effective ONLY in the states of Alaska, Idaho, Oregon and Washington)

| SCIENTIFIC NAME          | COMMON NAME              | SK        | HZ        | SUGGESTED STORAGE IN ZONES |     |
|--------------------------|--------------------------|-----------|-----------|----------------------------|-----|
|                          |                          | <u>2/</u> | <u>3/</u> | 1-6                        | 7-8 |
| Taxus x media            |                          | W         | 5-8       | M2                         | R   |
| Teucrium chamaedrys      | Wall Germander           | W         | 5-8       | M2                         | R   |
| Thalictrum sp.           |                          | H         | 5-8       | M2                         | R   |
| Thuja occidentalis       | American Arborvitae      | W         | 5-8       | M2                         | R   |
| Thuja orientalis         | Berckman's Dwarf Arborv. | W         | 5-8       | M2                         | R   |
| Thuja plicata            | Western Red Cedar        | W         | 5-8       | U                          | U   |
| Thujopsis dolabrata      |                          | W         | 6-8       | M2                         | R   |
| Thymus sp.               | Thyme                    | H         | 5-8       | M2                         | R   |
| Tiarella cordifolia      | Foamflower               | H         | 5-8       | M2                         | R   |
| Tilia americana          | Basswood Linden          | W         | 5-8       | U                          | U   |
| Tilia cordata            | Little Leaf Linden       | W         | 5-8       | U                          | U   |
| Tilia tomentosa          | Silver Linden            | W         | 5-8       | U                          | U   |
| Tradescantia sp.         |                          | H         | 6-8       | M2                         | R   |
| Trillium sp.             | Trillium                 | H         | 7-8       | - -                        | M2  |
| Trollius sp.             |                          | H         | 5-8       | M2                         | R   |
| Tsuga canadensis         | Canadian Hemlock         | W         | 5-8       | M2                         | R   |
| Tsuga caroliniana        | Carolina Hemlock         | W         | 5-8       | M2                         | U   |
| Tsuga diversifolia       | Japanese Hemlock         | W         | 6-8       | M2                         | R   |
| Tsuga heterophylla       | Western Hemlock          | W         | 6-8       | M2                         | R   |
| Tsuga mertensiana        | Mountain Hemlock         | W         | 6-8       | M2                         | R   |
| Ulmus glabra             | Scotch Elm               | W         | 5-8       | R                          | U   |
| Umbellularia californica | Oregon Myrtle            | W         | 7-8       | - -                        | M1  |
| Vaccinium ovatum         | Evergreen Huckleberry    | W         | 6-8       | M2                         | R   |
| Vaccinium parvitolium    | Red Huckleberry          | W         | 6-8       | M2                         | R   |
| Vaccinium vitis-idaea    | Cowberry                 | W         | 6-8       | M2                         | R   |
| Vancouveria hexandra     |                          | H         | 5-8       | M2                         | R   |
| Verbascum sp.            | Mullein                  | H         | 5-8       | M2                         | R   |
| Veronica sp.             |                          | H         | 5-8       | M2                         | R   |
| Viburnum x burkwoodii    | Burkwood Viburnum        | W         | 6-8       | M1                         | M1  |
| Viburnum carlesii        | Korean Spice Viburnum    | W         | 5-8       | M2                         | R   |
| Viburnum cinnamomifolium |                          | W         | 6-8       | M2                         | R   |
| Viburnum davidii         |                          | W         | 6-8       | M1                         | M2  |
| Viburnum dentatum        | Arrowwood                | W         | 5-8       | M2                         | R   |
| Viburnum dilatatum       | Linden Viburnum          | W         | 5-8       | M2                         | R   |
| Viburnum lantana         | Wayfaring Tree           | W         | 5-8       | M2                         | R   |
| Viburnum opulus          | Cranberry bush           | W         | 5-8       | M2                         | R   |
| Viburnum plicatum        | Doublefile Viburnum      | W         | 5-8       | M1                         | M2  |
| Viburnum rhytidophyllum  | Leatherleaf Viburnum     | W         | 5-8       | M2                         | R   |
| Viburnum sieboldii       | Siebold Viburnum         | W         | 5-8       | U                          | U   |
| Viburnum tinus           | Laurustinus              | W         | 7-8       | - -                        | M2  |
| Viburnum trilobum        | Cranberry Bush           | W         | 5-8       | M2                         | R   |
| Viburnum utile 'Eskimo'  |                          | W         | 7-8       | - -                        | M2  |
| Vinca major              | Periwinkle               | H         | 7-8       | - -                        | M1  |
| Vinca minor              | Common Periwinkle        | H         | 5-8       | M2                         | M2  |
| Waldsteinia fragarioides | Barren Strawberry        | H         | 5-8       | M2                         | R   |
| Weigela florida          | Weigela                  | W         | 5-8       | M2                         | M2  |
| Weigela vaniceki         | Vanicek Weigela          | W         | 5-8       | M2                         | M2  |
| Wisteria floribunda      | Japanese Wisteria        | W         | 6-8       | M2                         | M2  |
| Wisteria sinensis        | Chinese Wisteria         | W         | 6-8       | M2                         | M2  |
| Yucca filamentosa        | Adam's-Needle Yucca      | H         | 6-8       | M2                         | M2  |
| Yucca glauca             | Soapweed                 | H         | 6-8       | M2                         | M2  |
| Zelkova serrata          | Sawleaf Zelkova          | W         | 5-8       | U                          | U   |

- 1/ Defined in the USDA Plant Hardiness Zone Map, Miscellaneous Publication No. 1475, USDA Agricultural Research Service.
- 2/ Storage Key for eligible plants.  
 W - Refer to Woody Storage Key  
 F - Refer to Foliage Storage Key  
 H - Refer to Herbaceous Storage Key
- 3/ Insurable Hardiness Zones

**NURSERY STORAGE KEYS APPLICABLE IN THE STATES OF ALASKA, IDAHO, OREGON AND WASHINGTON ONLY**

**Woody (W) Storage Key**

- - Not grown due to cold hardiness limitations and practicality of protection required or not grown due to high temperature tolerance limitations.
- M1 Mandatory winter protection level 1 (Winter Long Protection)  
 Storage structures such as:  
 Co-poly (white preferred) covered walk in Quonset House and Poly liners, or;  
 Thermal blankets covered with poly, or;  
 Supplemental heat.
- M2 Mandatory winter protection level 2 (Winter Long Protection)  
 Storage structures such as:  
 Co- poly (white preferred) covered walk-in Quonset House, or;  
 Co- poly (white preferred) covered Hoop House, or;  
 Structureless Storage such as;  
 Outside beds covered with thermal blankets laminated or overlaid with white co-poly (white required).
- R Recommended winter protection level  
 Plants pot-to-pot (jammed) plus wind barrier strip around edge of block or;  
 Plants pot-to-pot or outside with white co-poly plastic pulled over the block only during periods of extreme cold.
- U No winter protection required.

**Herbaceous (H) Storage Key**

- - Not grown due to cold hardiness limitations and practicality of protection required or not grown due to high temperature tolerance limitations.
- M1 Mandatory winter protection level 1 (Winter Long Protection)  
 Storage structures such as:  
 Controlled Environment Greenhouses.
- M2 Mandatory winter protection level 2 (Winter Long Protection)  
 Storage structures such as:  
 Co-Poly (white preferred) covered walk-in Quonset House, or;  
 Co-Poly (white preferred) covered Hoop House, or;  
 Structureless Storage such as;  
 Outside beds covered with thermal blankets laminated or overlaid with white co-poly (white required).
- R Recommended winter protection level  
 Plants pot-to-pot or outside with white co-poly (white required) plastic pulled over the block only during periods of extreme cold.

U No winter protection required.

**Foliage (F) Storage Key**

- - Not grown due to cold hardiness limitations and practicality of protection required or not grown due to high temperature tolerance limitations.

M Mandatory winter protection level

Storage structures such as:

Controlled Environment Greenhouses.